CONTENTS OF VOLUME 175

(The third of three Congress Volumes)

Vibrational investigation of aromatic diamines reactive intermediates
A. Bourkba, O. Poizat (Thiais, France), G. Buntinx and A. Deffontaine (Villeneuve d'Ascq, France) 1

Laser induced fluorescence studies of the iodine B state. Lifetimes of weakly-predissociated levels
E. Martinez†, M. T. Martinez, M. P. Puyuelo and F. Castaño (Bilbao, Spain) 7

Problem of asymmetry in electronic Raman scattering of lanthanide(III) systems
J. Sztucki and W. Strek (Wroclaw, Poland) 13

Self-association of uracil in aqueous solution. Study of dilute solutions by normal and second derivative UV absorption spectroscopy
N. Iza, M. Gil, J. L. Montero and J. Morcillo (Madrid, Spain) 19

Self-association of caffeine in aqueous solution. Study of dilute solutions by normal and second derivative UV absorption spectroscopy
N. Iza, M. Gil, J. L. Montero and J. Morcillo (Madrid, Spain) 25

Identification of ionic and tautomeric species of uracil by second derivative UV absorption spectroscopy
N. Iza, M. Gil and J. Morcillo (Madrid, Spain) 31

Multinuclear NMR and vibrational spectroscopy studies of the substituent effects in benzensulphonamide inhibitors of the enzyme carbonic anhydrase
P. G. de Benedetti, D. Iarossi, M. C. Menziani, C. Frassineti and A. Benedetti (Modena, Italy) 37

Conformational structure of the central nervous system proteolipid apoprotein. A Raman and infrared spectroscopic study
P. Carmona, J. M. Ramos, M. Cozar and J. Monreal (Madrid, Spain) 43

Fourier transform infrared studies of 5'-GMP in ^2H_2O and H_2O solutions
R. Navarro and J. Morcillo (Madrid, Spain) 49

Resonance Raman evidence for μ-oxo linkage in ferriporphyrins
P. Kowalewski, J. C. Merlin, C. Bremard and S. Moreau (Villeneuve d'Ascq, France) 55

Conformational study of the chromophore of C-phycocyanin by resonance Raman
L. Margulies and M. Toporowicz (Rehovot, Israel) 61

Interaction of SDS with β-galactosidase. A FT-IR study of the influence of detergent concentration and temperature
A. Muga, J. Castresana, J. L. R. Arrondo (Bilbao, Spain), S. López and C. Bernabeu (Madrid, Spain) 67

The Raman spectrum of biosynthetic human growth hormone. Its deconvolution, bandfitting, and interpretation
L. G. Tensmeyer (Indianapolis, IN, U.S.A.) 73

Calculation of the transitions in the amine inversion vibration of some local anesthetics
M. A. Palafox (Madrid, Spain) 81

Temperature effects on highly resolved laser induced fluorescence spectra of tetracene in solid solutions at cryogenic temperatures
J. W. Hofstraat, A. J. Schenkeveld, C. G.-N. de Jonge, C. Gooijer and N. H. Velthorst (Amsterdam, The Netherlands) 85

IR Spectra and phototautomerism of matrix isolated 4-oxopyrimidine
M. J. Nowak, J. Fulara and L. Łapinski (Warsaw, Poland) 91

Electronic absorption spectrum of radiation-produced pentane and hexane radical cations in saturated chlorofluorocarbon and perfluorocarbon matrices at 77 K.
A. van den Bosch and J. Ceulemans (Leuven, Belgium) 97

Infrared and Raman matrix isolation spectra and molecular force field of disulfur dichloride
F. R. Filgueira, L. L. Fournier (La Plata, Argentina) and C. E. Blom (Giessen, F.R.G.) 105

Fluorescence lifetime measurements of pseudoazulenes using picosecond-resolved single photon counting
A. J. W. G. Visser, T. Kulinski and A. van Hoek (Wageningen, The Netherlands) 111

Nanosecond time-resolved fluorescence studies on the excited-state relaxation of azaaromatic / metal oxide adsorbates
S. Uhl and D. Oelkrug (Tübingen, F.R.G.) 117

Temperature dependent dephasing of internal phonons in ionic crystals: picosecond CARS measurements in K_2SO_4 and $KClO_4$ crystals
R. Righini, L. Angeloni, E. Castellucci and P. Foggi (Florence, Italy) 123

Detection of an ordering of lithium sublattice in $LiKSO_4$ in low-temperature phases via Raman scattering
K. Haller and P. Truusalu (Tartu, U.S.S.R.) 129

Electric-field-induced two-photon processes
D. L. Andrews, N. P. Blake and K. P. Hopkins (Norwich, Gt. Britain) 135

Molecular proximity effects in two-photon absorption
D. L. Andrews and K. P. Hopkins (Norwich, Gt. Britain) 141

Two photon absorption of liquid pyridine: a study using thermal lensing and CARS spectroscopy
P. Foggi, P. R. Salvi, R. Bini and E. Castellucci (Florence, Italy) 147

Vibronic activity in the two-photon spectrum of pyrimidine
G. Marconi and E. Venuti (Bologna, Italy) 153

Nonlinear optical properties of organic molecules: a theoretical study with semi-empirical methods
J. Hutter and G. Wagnière (Zürich, Switzerland) 159

Vibrational spectra of alkali metal cyclopentadienides and force field calculation of free cyclopentadienyl anion
O. G. Garkusha, I. A. Garbuzova, B. V. Lokshin (Moscow, U.S.S.R.) and J. Mink (Budapest, Hungary) 165

Vibrational spectra, force fields and NMR-data for triorganyl-tetrelomethanes $CH_{4-n}(TtR_3)_n$ (Tt = Sn and Pb)
C. Stangl, D. K. Breitinger (Erlangen, F.R.G.) and J. Mink (Budapest, Hungary) 171

Vibrational spectra and force field of terephtalonitrile
J. F. Arenas, J. I. Marcos and F. J. Ramírez (Málaga, Spain) 177

Raman and infrared spectroscopic investigation of the cation distributions in amphiboles
A. Wang, P. Dhamelincourt and G. Turrell (Villeneuve d'Ascq, France) . 183

Vibrational analysis of propene adsorbed in zeolites Y
H. Förster (Hamburg, F.R.G.) and O. Zakharieva-Pencheva (Sofia, Bulgaria) 189

Molecular orbital calculations and normal coordinate analysis of CO_2 and N_2O in zeolites
M. Grodzicki, H. Förster (Hamburg, F.R.G.) and O. Zakharieva-Pencheva (Sofia, Bulgaria) 195

Application of Wiberg indices to geometry optimization. C-C Distances
J. M. Martin, M. Fernandez and J. Tortajada (Madrid, Spain) 203

New self-consistent potentials for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of KH
A. Pardo, J. J. Camacho, J. M. L. Poyato, E. Martin and D. Reyman (Madrid, Spain) 209

MRD-CI Ground state geometry and vertical spectrum of N_3
C. Petrongolo (Pisa, Italy) 215

Vibrational spectra and structure of N-tozyl(4-dimethylamino)-pyridinium salts
E. V. Titov, L. I. Kozhevina, R. A. Makarova, V. I. Rybachenko (Donetsk, U.S.S.R.) 221

Infrared, cryometric and calorimetric studies on the urea-phenol system
J. Dobrowolski, M. H. Jamróz, M. Jamróz, D. Wyrzykowska-Stankiewicz, A. M. Szafrański and J. Polaczek (Warsaw, Poland) 227

The associative behaviour of saturated alcohols with reference to the molecular structure in the OH proximity. An FT-IR temperature study
B. Lutz, R. Scherrenberg and J. van der Maas (Utrecht, The Netherlands) 233

Structural information from integrated infrared intensities of some alcohols with a triple bond
F. A. J. Singelenberg, T. Visser and J. H. van der Maas (Utrecht, The Netherlands) 239

Infrared, calorimetry and p_aH correlation of hydrogen bonding in (-N-$OH^+ \cdots {}^-O$-) and ($\equiv NH^+ \cdots {}^-O$-) bridges in acetonitrile
Z. Pawlak (Gdansk, Poland) 245

Hydrogen bonding in liquid amides studied by low frequency Raman spectroscopy
O. Faurskov Nielsen (Copenhagen, Denmark) 251

Nature of the strong basicity of superbases, unsolvated hydroxide ions?
H. D. Lutz, M. Jung and K. Beckenkamp (Siegen, F.R.G.) 257

Pattern recognition applied to vapour-phase infrared spectra: characteristics of νOH bands
G. Jalsovszky and S. Holly (Budapest, Hungary) 263

Infrared spectroscopic study of hydrogen-bonded complexes of triphenylcarbinol and triphenylsilanol with ethers
Lj. J. Bogunović, M. D. Dragojević, S. V. Ribnikar and U. B. Mioč (Belgrade, Yugoslavia) 271

The intensity change of IR OH bands by H-bonds
L. England-Kretzer, M. Fritzsche and W. A. P. Luck (Marburg, F.R.G.) 277

Hydrogen bonding between nucleic acid constituents and amino acid amide group
M. Molina and P. Carmona (Madrid, Spain) 283

The Raman spectra of the KOH-doped ice polymorphs: V and VI
B. Minčeva-Šukarova (Skopje, Yugoslavia), G. Slark and W. F. Sherman (London, Gt. Britain) 289

Vibrational study of $(NH_4)_2HPO_4$ and $(ND_4)_2DPO_4$ single crystals. The PO_4 ion vibration couplings
V. Videnova-Adrabinska and J. Baran (Wrocław, Poland) 295

An ab initio spectroscopic study of the HCN...HCN and HCN...HNC linear complexes
M. N. Ramos (Recife-Pe, Brasil), C. A. Taft (Rio de Janeiro, Brasil), J. G. R. Tostes (Niteroi, Brasil) and W. A. Lester Jr. (Berkeley, CA, U.S.A.) 303

Spectral and thermodynamic characteristics of intermolecular hydrogen bonding in individual and mixed solvents
E. V. Titov, V. I. Shurpach, G. A. Belkina (Donetsk, U.S.S.R.) 307

Solvent influence on infrared spectra of the carbonyl stretching band in methyl alkyl ketones
M. I. Redondo, M. V. Garcia and J. Morcillo (Madrid, Spain) 313

Raman line shape analysis by numerical convolution
T. Sundius (Helsinki, Finland) 319

A study of anthracene-metallic cation interactions by UV-Vis spectroscopy
N. Iza, M. Gil, J. L. Montero and J. Morcillo (Madrid, Spain) 323

Noise in FT-IR spectral data processing
M. Gil, N. Iza and J. Morcillo (Madrid, Spain) 329

Profile analysis of PO_3-symmetric stretching infrared band
R. Navarro and A. Hernanz (Madrid, Spain) 335

On the contour of overlapping vibrational bands in condensed phases
R. Szostak and J. P. Hawranek (Wrocław, Poland) 339

On vibrational relaxation in liquid trimethylchlorosilane
R. Szostak and J. P. Hawranek (Wrocław, Poland) 343

Description of molecular distortions II. Intensities of the symmetric stretching bands of tetrahedral molecules
V. Petrusevski and B. Soptrajanov (Skopje, Yugoslavia) 349

Ab initio molecular orbital calculations of the polar tensors and vibrational intensities of HC_3N
M. N. Ramos, B. B. Neto, A. M. Simas (Recife, Brasil) and R. E. Bruns (Campinas, SP, Brasil) 355

Studies of the characteristic frequencies of vapor-phase infrared spectra II. The characteristic frequencies of ketones and aldehydes
Song Guonan, Che Xun and Ding Daoyuan (Dalian, P.R. China) 359

Infrared and Raman spectroscopic investigations of cadmium tetracyano-nickelate complexes of aminopyridines
S. Akyüz (Samsun, Turkey) 365

Melittin-lipid interactions: a FT-IR spectroscopic study
S. Akyüz (Samsun, Turkey) and F. Severcan (Izmir, Turkey) 371

A vibrational spectroscopic study of salicylaldoxime in the solid state
A. Bigotto (Trieste, Italy) 377

Influence of reaction rates on Raman spectra of molecular complexes
S. M. Eskola, L. Keskisaari and F. Stenman (Helsinki, Finland) 383

FTIR Studies of the "wood"-isocyanate reaction
N. L. Owen, W. B. Banks and H. West (Provo, UT, U.S.A.) 389

Phase transition investigation of $AgNO_3$ at low temperature and high pressure by IR studies
Z. Shen, W. F. Sherman and G. R. Wilkinson (London, Gt. Britain) 395

FT-IR Investigation of cordierite aerogel
T. Merle-Mejean, H. Vesteghem, P. Quintard (Limoges, France) and V. Lorenzelli (Genova, Italy) 401

Circular polarization attachments for FTIR spectrometers
D. Kolev, B. Jordanov, D. Tsankov (Sofia, Bulgaria) and E. H. Korte (Dortmund, F.R.G.) 407

UPS and quantum-chemical study of compounds containing SiNCX (X=O,S) groups
T. Veszprémi, T. Pasinszki, L. Nyulászi, G. Csonka and I. Barta (Budapest, Hungary) 411

UVPES of some aliphatic azides. Part I
M. L. S. L. Costa and M. A. A. Ferreira (Lisboa, Portugal) 417

Electronic structures and thermolyses of cyclic 2-tetrazenes
P. Rademacher, P. Heymanns (Essen, F.R.G.), R. Carrié and B. Carboni (Rennes, France) 423

Thermal decomposition of gaseous phenylnitromethane - product identification
C. Y. Mok, L. Y. Kok, W. S. Chin and H. H. Huang (Kent Ridge, Singapore) 429

Vibrational and electronic properties of polyaza chain molecules and their metal complexes
R. Bariz and C. Bremard (Villeneuve d'Ascq, France) 435

Electronic structures of analogous and isoelectronic main group and transition metal compounds - a gas phase (UV)-photoelectron spectroscopic and theoretical study
S. Elbel, M. Grodzicki, L. Pille and G. Rünger (Hamburg, F.R.G.) 441

Electronic structure of pentatomic heterocyclic compounds containing N, O, S and Se. Gas-phase UV photoelectron spectra and quantum-mechanical calculations
C. Cauletti, T. Vondrak (Rome, Italy), F. A. Devillanova, F. Isaia and G. Verani (Cagliari, Italy) 447

FT-IR Study of the δ(OH) mode of surface hydroxy groups on metal oxides
J. C. Lavalley, M. Bensitel, J. P. Gallas, J. Lamotte (Caen, France), G. Busca and V. Lorenzelli (Genova, Italy) 453

The influence of disorder on the group-theoretically derived selection rules in ammonium halides
H. Yurtseven (Istanbul, Turkey) and W. F. Sherman (London, Gt. Britain) 459

The hand-fitting analysis of the Raman spectra close to phase transitions
H. Yurtseven (Istanbul, Turkey) and W. F. Sherman (London, Gt. Britain) 465

Author Index (Vols. 173, 174 and 175) 471

Subject Index (Vols. 173, 174 and 175) 479